

Trove2SL2

Access and Power Integration Solution for Sielox



Altronix Trove™ enclosures and backplanes let you easily integrate Altronix power with Sielox AC-1700 series access controllers and accessories. Trove simplifies board layout and wire management, reduces installation time and labor costs.



Trove2SL2

* Boards not included



Trove2 Enclosure + TSL2 Backplane Features

- Accommodates Sielox AC-1700 Series access controllers with or without Altronix power/accessories:
 - Sielox AC-1700 Series.
 - Altronix Power Supplies.
 - Altronix Sub-Assemblies.
- Includes Altronix Trove2 Enclosure and one (1) removable TSL2 backplane.

Agency Listings

UL:

UL294 - Access Control System.

cUL:

CAN/ULC - s319-05 - Electronic Access Control Systems.

CE

European Conformity.

Features

- Simplifies board layout and wire management
- Convenient knockout configuration:
 - One (1) single knockout 2.415" (2" Conduit).
 - Sixteen (16) double knockouts 1.362" (1" Conduit) / 1.115" (3/4" Conduit).
- Accommodates up to four (4) 12VDC/7AH batteries
- 16 AWG powder coated steel
- Includes cam lock, tamper switch and mounting hardware

Dimensions (H x W x D):

27.25" x 21.5" x 6.5" (692.15mm x 546.1mm x 165.1mm)

Weights:

Product - 37.1 lb. (16.83 kg)

Shipping - 40.85 lb. (18.53 kg)

TSL2 Backplane Features

- Accommodates Sielox AC-1700 Series access controllers with or without Altronix power/accessories:
 - Sielox AC-1700 Series.
 - Altronix Power Supplies.
 - Altronix Sub-Assemblies.
- Backplane features:
 - Simplifies board layout and wire management
 - 16 AWG galvanized steel

Dimensions (H x W x D):

25.375"H x 19.375"W x 0.3125"D
(644.5mm x 492.1mm x 8mm)

Weights:

Product - 8.0 lb. (3.63 kg)

Shipping - 10.0 lb. (4.53 kg)

Trove2SL2

Access and Power Integration Solution for Sielox

Trove2SL2 Interior Backplane - Optional Mounting Configurations



Trove2SL2

Access and Power Integration Solution for Sielox

